

Introduction



This goose, designed by J.N. "Ding" Darling, has become the symbol of the National Wildlife Refuge System.

Bombay Hook National Wildlife Refuge lies low and flat on the Atlantic Coastal Plain along the western shore of Delaware Bau. Nearly three-fourths of its almost 16,000 acres spreads out into tidal salt marsh and cordgrass meadows interrupted by winding rivers and creeks. Away from the bay and marsh are man-made freshwater ponds called impoundments. Upland woods, swamps, brushy thickets, grassy fields, and croplands complete the diversity of habitat which attracts a wide variety of bird life.

Look for greatest numbers of waterfowl during March and November. Shorebirds, wading birds and songbirds are most abundant during May, August and September.



This brochure lists 278 species that have been identified on or seen from the refuge, and is in accordance with the seventh American Ornithologists Union Checklist. A list of approximately 70 accidental birds (seen at intervals of 5 or more years) is available on request.

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

Sp Spring March – May S Summer June – August

F Fall September – November W Winter December – February

Relative Abundance

Relative abundance indicates how frequently you might see a bird in its favored habitat. $\,$

a abundant a species which is very numerous

c common likely to be seen or heard in suitable habitat

u uncommon present, but not certain to be seen
 o occasional seen only a few times during a season
 r rare may be present, but not every year

Habitat Types (H)

f Forest, woodlands, thickets

w Wetlands (includes all bodies of water and fresh and salt water marshes)

m Meadows, fields

Birds known to nest on or near the refuge.
 Italics indicate federally threatened/endangered species.

4.5					
Black-necked stilt	Sp	S	F	W	Н
Loons					
Red-throated Loon	0		r	r	W
Common Loon	0		0	0	W
Grebes					
• Pied-billed Grebe	0	0	u	О	W
Horned Grebe	0		0	0	W
Cormorants Double-crested Cormorant	c	c	c	u	w
Double-crested Cormorant	C	C	C	u	W

	Sp	S	F	W	Н		Sp	S	F	w	Н
Bitterns – Herons						• Mallard	a	c	a	a	w/m
• American Bittern	0	r	u	0	W	Blue-winged Teal		u	a		w/m
• Least Bittern	u	u	0		W	• Northern Shoveler		0	a	u	W
Great Blue Heron	c	c	c	c	w/m	Northern Pintail	- a	0	a	a	W
Great Egret	a	a	c	0	w/m	Green-winged Teal	- a	0	a	c	w/m
Snowy Egret	a	a	c	r	w/m	Canvasback			0	0	W
Little Blue Heron	u	c	c		W	Redhead	-		r	r	w
Tricolored Heron	0	u	0		W	Ring-necked Duck	- с		u	r	w
Cattle Egret	0	0	0		w/m	Greater Scaup	- c		c	c	w
• Green-backed Heron		c	c		W	Lesser Scaup	- c		a	a	w
Black-crowned Night-Heron	c	c	c	u	W	Surf Scoter	- 0		u	u	w
Yellow-crowned Night-Heron	0	u	u		W	White-winged Scoter	- 0		0	0	w
						Black Scoter			0	0	w
lbises						Long-tailed Duck			u	0	w
White Ibis		r	r		w/m	Bufflehead			c	c	w
Glossy Ibis	a	a	c		w/m	Common Goldeneye			u	u	w
White-faced Ibis		r			w/m	Hooded Merganser		r	u	u	w
W. I.						Common Merganser		-	0	c	w
Vultures Plack Wulture		,,,	,,	11	f/m/w	Red-breasted Merganser			u	u	w
Black Vulture Turkey Vulture		u c	u c	u c	f/m/w	Ruddy Duck		u	a	a	w
Black duck						Osprey - Kites - Hawks - Eagles Osprey - Osprey - Bald Eagle - Northern Harrier - Sharp-shinned Hawk - Cooper's Hawk - Red-shouldered Hawk - Broad-winged Hawk - Red-tailed Hawk - Rough-legged Hawk - Golden Eagle	- u - c - c - u - u - o - c - o - o	u u o o o o	u u c c u o o		w/f w/f/m w/m f/m f/m f/m f/m f/m/w
Swans – Geese – Ducks						Golden Eagle	-		r	r	1/111/W
Greater White-fronted Goose			0	0		Falcons					
Snow Goose	a	0	a	a	w/m	• American Kestrel	c	0	c	c	m/f
Ross' Goose	r		r	r	w/m	Merlin			u	r	w/f
• Canada Goose	a	a	a	a	w/m	Peregrine Falcon	- u	0	u	0	w/f
Mute Swan	0	0	0	0	w/m		-				
Tundra Swan	u		c	u	w/m	Gallinaceous Birds					
• Wood Duck	c	a	a	0	w/f	• Ring-necked Pheasant		c	c	c	m/f
• Gadwall	c	c	a	u	W	• Wild Turkey		u	u	u	m/f
Eurasian Wigeon	r		r	r	W	• Northern Bobwhite	c	c	u	u	m/f
American Wigeon	c	0	c	u	w/m						
• American Black Duck	c	u	c	c	W						

	Sp	S	F	W	Н	Sp	S	F	W	Н
Rails						Least Sandpiper c	c	c	r	w/m
Yellow Rail	r		r		w	White-rumped Sandpiper c	u	u		w/m
Black Rail	_ 0	0	r		w	Baird's Sandpiper	r	r		w/m
- Clapper Rail	- c	c	c	u	w	Pectoral Sandpiper c	c	c	r	w/m
• King Rail	_ 0	0	0	r	w	Dunlin a	O	a	a	W
• Virginia Rail	_ _ u	u	u	0	w	Curlew Sandpipero	О	r		W
Sora	_ _ u	0	0		w	Stilt Sandpiper u	c	c		W
- Common Moorhen	_ 0	u	0	r	w	Buff-breasted Sandpiper	r	r		m/w
•American Coot			u	u	w	Ruff o	О	0		w/m
						Short-billed Dowitcher a	a	a		w/m
Plovers						Long-billed Dowitcher c	u	a	r	w/m
Black-bellied Plover	_	u	c	0	w/m	Common Snipe u		u	u	w/m
American Golden-Plover		r	u		m/w	• American Woodcock c	u	c	0	w/f
Semipalmated Plover		a	c		w/m	Wilson's Phalarope o	u	0		W
• Killdeer	_ c	c	c	u	m/w	Red-necked Phalarope o		r		W
Oystercatchers								1		
American Oystercatcher	_ r	r			w		-			
Stilts – Avocets										
• Black-necked Stilt	_ c	c	u		w					
American Avocet	_ a	a	a	O	W		Age of			
Sandpipers										
Greater Yellowlegs	a	a	a	u	w/m					
Lesser Yellowlegs	– a	a	a	0	w/m		F 4-3			
Solitary Sandpiper		u	u		w/m	Woodcock				
• Willet		a	u		w	Gulls – Terns – Skimmer				
Spotted Sandpiper	- c	c	c		w	Laughing Gull a	a	a		w/m
Upland Sandpiper			r		m	Black-headed Gull r	-			W
Whimbrel	- r	r	r		m/w	Bonaparte's Gull u	r	0	u	W
Hudsonian Godwit	_	0	0		w	Ring-billed Gull a		a	a	w/m
Marbled Godwit	_	r	r		w	Herring Gull a	a	a	a	w/m
Ruddy Turnstone		u	u		w	Lesser Black-backed Gull r	r	0	0	w/m
Red Knot		0	0		w	Great Black-backed Gull c	c	c	c	w/m
Sanderling	– a	u	c	0	w	Gull-billed Tern o	0			W
Semipalmated Sandpiper	a	a	a		w/m	Caspian Tern u	u	u		W
Western Sandpiper	r	a	a	r	w/m	Royal Tern	r	0		w
	_					Common Tern r	r	r		w
						• Forster's Tern c	a	c		w
	A É		EE.		-	Least Tern o	0	0		W
			.			White-winged Tern	r			W
	奠	لير	<u> </u>	-		Black Tern r	o	0		w
		1	== c	and	andia as	Black Skimmer o	u	0		W
		- جمن	- D	ana	erlings					

	9h	9	Г	VV	п
Doves					
• Rock Dove	u	u	u	u	m
• Mourning Dove	c	c	a	a	m/f
Cuckoos					
• Black-billed Cuckoo	0	0	0		f
• Yellow-billed Cuckoo	c	c	u		f



Barn Owls					
• Barn Owl	u	u	u	u	\mathbf{f}
Typical Owls					
• Eastern Screech-Owl	c	c	c	c	\mathbf{f}
• Great Horned Owl		c	c	c	\mathbf{f}
• Barred Owl	c	c	c	c	\mathbf{f}
Long-eared Owl			r	r	\mathbf{f}
Short-eared Owl			0	u	m/w
Northern Saw-whet Owl			r	r	f
Nightipre					
Nightjars Common Nighthawk		r	r		f
Whip-poor-will	0	0	1		f
Swifts					
Chimney Swift	u	u	u		m
Hummingbirds					
• Ruby-throated Hummingbird	c	c	c		f
Kingfishers					
• Belted Kingfisher	c	u	c	u	w

Woodpeckers					
Red-headed Woodpecker	r		r	r	\mathbf{f}
• Red-bellied Woodpecker	c	c	c	c	\mathbf{f}
Yellow-bellied Sapsucker	0		0	0	\mathbf{f}
• Downy Woodpecker		c	c	c	\mathbf{f}
• Hairy Woodpecker		u	u	u	\mathbf{f}
• Northern Flicker	c	c	c	c	f
Tyrant Flycatchers					
Olive-sided Flycatcher	r		r		f
• Eastern Wood-Pewee	c	c	c		f
• Acadian Flycatcher	c	c	0		f
Alder Flycatcher	r		r		f
• Willow Flycatcher		u	0		f
Least Flycatcher			0		f
• Eastern Phoebe	c	u	c	r	f
• Great Crested Flycatcher	c	c	u		f
• Eastern Kingbird	c	a	c		f/m
Scissor-tailed Flycatcher		r			f/m
Vireos					
• White-eyed Vireo	c	c	c		\mathbf{f}
Blue-headed Vireo	O		u		f
Warbling Vireo			r		\mathbf{f}
Philadelphia Vireo			r		\mathbf{f}
• Yellow-throated Vireo	u	О	0		f
• Red-eyed Vireo	a	a	a		f
Blue j	ay				

Crows – Jays ___• Blue Jay __

• American Crow

____• Fish Crow _____

 \mathbf{f}

f/w

Sp S F

	Sp	S	F	W	Н		Sp	S	F	W	Н
Larks						Thrushes					
- Horned Lark	u	u	u	u	m	• Eastern Bluebird	u	u	u	u	f/m
						Veery		r	u		\mathbf{f}
Swallows						Gray-cheeked Thrush			0		\mathbf{f}
• Purple Martin	c	c	0		m/w	Bicknell's Thrush			0		\mathbf{f}
• Tree Swallow	a	a	a	r	m/w	Swainson's Thrush			u		\mathbf{f}
Northern Rough-winged Swallow		u	u		m/w	Hermit Thrush	- c		c	u	\mathbf{f}
Bank Swallow	c	a	u		m/w	• Wood Thrush	- c	c	u		\mathbf{f}
Cliff Swallow	0	0	0		m/w	• American Robin	- a	c	a	c	f/m
• Barn Swallow	c	c	c		m/w		- "				_,
						Mimic Thrushes					
Titmice – Chickadees						• Gray Catbird	_ a	c	a	О	\mathbf{f}
• Carolina Chickadee		c	c	c	f	• Northern Mockingbird	_ c	c	c	c	f/m
• Tufted Titmouse	c	c	c	c	f	• Brown Thrasher	c	c	c	О	\mathbf{f}
81 (1) (1							_				
Nuthatches					e e	Starlings					
Red-breasted Nuthatch			u	0	\int_{c}^{c}	• European Starling	_ a	a	a	a	f/m/w
White-breasted Nuthatch	0	0	0	0	f						
Crooners						Wagtails – Pipits					,
Creepers Brown Creeper	11		u	u	\mathbf{f}	American Pipit	_ u		u	u	m/w
Brown Creeper	и		и	и	1	Waxwings					
Wrens						• Cedar Waxwing	c	0	c	11	\mathbf{f}
• Carolina Wren	c	c	c	c	f	Oeuai waxwiiig	-	U	C	и	1
- House Wren		c	c	r	f	$D1 - 1 - 1 - 1 \cdot 1$					
Winter Wren			u	u	f	Black-and-white warbler					
• Sedge Wren	0	0	0	r	w	waroter					
Marsh Wren	c	c	c	0	w		A.				
	C			Ü	"	Same					
) /		•		
							A	•			
						Wood Warblers					
STREET,						Blue-winged Warbler	0		0		\mathbf{f}
						Golden-winged Warbler			r		\mathbf{f}
						Tennessee Warbler			0		\mathbf{f}
						Orange-Crowned Warbler	_		r	r	\mathbf{f}
W Wren						Nashville Warbler			0		f
Kinglets						Northern Parula		0	c		f
Golden-crowned Kinglet	c		c	c	f	• Yellow Warbler	- c	c	u		f
Ruby-crowned Kinglet			c	u	f	Chestnut-sided Warbler	- '		c		f
Ruby-crowned Milgiet	Ü		C	u	1	Magnolia Warbler	_		c		f
Old World Warblers – Gnatcatchers						Cape May Warbler			_		f 1
• Blue-gray Gnatcatcher	c	u	0		f	Black-throated Blue Warbler	_		0		r L
	-	-			<u>-</u>	Diack-direated blue warpler	С		c		f

	Sp	S	F	W	Н
Yellow-rumped Warbler	a		a	c	f
Black-throated Green Warbler	c		c		f
Blackburnian Warbler	u		u		f
Pine Warbler	0	0	0		f
Prairie Warbler	u	r	0		f
Palm Warbler	c		c	r	\mathbf{f}
Bay-breasted Warbler	0		0		\mathbf{f}
Blackpoll Warbler			u		\mathbf{f}
Cerulean Warbler	r				\mathbf{f}
Black-and-white Warbler	c	0	c		\mathbf{f}
• American Redstart	c	0	c		\mathbf{f}
• Prothonotary Warbler	0	0	r		f/w
Worm-eating Warbler	0		r		\mathbf{f}
Ovenbird		u	u		\mathbf{f}
Northern Waterthrush		r	u		f/w
• Louisiana Waterthrush	0	0	0		f/w
• Kentucky Warbler	u	u	0		f
Connecticut Warbler			r		\mathbf{f}
Mourning Warbler	0		0		f
• Common Yellowthroat	a	a	c	0	f/w
Hooded Warbler	\mathbf{r}	r	r		f
Wilson's Warbler	0		0		f
Canada Warbler	c	0	0		\mathbf{f}
• Yellow-breasted Chat	u	u	u	r	f
Tanagers					
Summer Tanager	0				\mathbf{f}
Scarlet Tanager	c	c	u		\mathbf{f}
Sparrows – Towhees					
• Eastern Towhee		c	c	u	f
American Tree Sparrow			0	u	f
- Chipping Sparrow		u	u	r	f/m
• Field Sparrow		c	c	u	f/m
Savannah Sparrow	a		a	u	f/w
• Grasshopper Sparrow	0	u	0	r	m
Nelson's Sharp-tailed Sparrow	u		u	0	w/m
• Saltmarsh Sharp-tailed Sparrow	u	u	u	0	W
• Seaside Sparrow	a	a	c	0	W
Fox Sparrow	u		u	u	$_{c}^{\mathrm{f}}$
• Song Sparrow	a	c	a	a	f

	Op	•	•	•••	••
• Swamp Sparrow	c	c	c	c	m/w
White-throated Sparrow	a		a	a	\mathbf{f}
White-crowned Sparrow	0		0	0	\mathbf{f}
Dark-eyed Junco	c		c	c	\mathbf{f}
Lapland Longspur	r			0	m
Snow Bunting			0	0	m
Cardinals – Grosbeaks – Allies Northern Cardinal Rose-breasted Grosbeak Blue Grosbeak Indigo Bunting	c u u c	c u c	c u u	c	f f f f/m
Dickcissel		r	r		m



					ı
Blackbirds – Orioles					
Bobolink	O	c	a		m
• Red-winged Blackbird	a	a	a	a	f/m/w
• Eastern Meadowlark	u	u	u	u	m
Rusty Blackbird	u		u	u	f/w
Boat-tailed Grackle	0	O	c	u	w/m
• Common Grackle	a	a	a	a	f/m
• Brown-headed Cowbird	c	c	c	u	f/m
• Orchard Oriole	c	c	0		f
• Baltimore Oriole	u	u	0		\mathbf{f}



	Sp	S	F	w	Н
Finches					
Purple Finch	O		0	О	\mathbf{f}
• House Finch	u	u	u	u	\mathbf{f}
Common Redpoll			r	r	\mathbf{f}
Pine Siskin	\mathbf{r}		0	r	\mathbf{f}
• American Goldfinch	a	c	a	c	\mathbf{f}
Evening Grosbeak	r		r	r	\mathbf{f}
Old World Sparrows• House Sparrow	u	u	u	u	f



NOTES

Location		
Date	Time	
Observers		
Weather		_

This brochure was partially funded by Friends of Bombay Hook, Inc.

